



National Institute of Mental Health and Neurosciences

राष्ट्रीय मानसिक स्वास्थ्य और स्नायु विज्ञान संस्थान
ರಾಷ್ಟ್ರೀಯ ಮಾನಸಿಕ ಆರೋಗ್ಯ ಮತ್ತು ನರವಿಜ್ಞಾನ ಸಂಸ್ಥೆ

NIMHANS
An Institute of National Importance



Email:aaos@nimhans.ac.in

080-26995780

STR-D2/45 /PSY/CED Single Channel/2019-20

19/06/2019

Corrigendum

Existing criteria	Corrigendum criteria/to be read as
CED single Channel Isolated 1902 pre-amplifier: Systems Includes: a. CED single Channel Isolated 1902 pre-amplifier/filter with low noise EEG input rack mounted. b. 2 channels electrodes adaptor box-1902-11-2	CED Multi Channel Isolated 1902 pre-amplifier: The system should include: a. CED Multi Channel Isolated 1902 pre-amplifier/filter with low noise EEG input rack mounted. This system should permit simultaneous EMG data acquisition from two or more muscles, ECG, EEG, etc. b. 2 channels electrodes adaptor box-1902-11-2
Last date for Site visit	No changes
Quotation submission last date and time	No changes

OTHER TERMS & CONDITIONS REMAIN SAME AS PER

NOTIFICATION No **STR-D2/45 /PSY/CED Single Channel/2019-20 Dated 17/06/2019**

Sd/-

SO(E)

Purchase section

NIMHANS, BENGALURU.