



GLOBAL TENDER NOTIFICATION
(Through e-procurement portal only)

The Director, NIMHANS invites tender from eligible tenderers through the Karnataka Government E-Procurement portal for supply of following equipment.

Sl. No.	Name of the Item	Items (in Nos.)	EMD (in)
1.	Gym Equipments along with Civil Work	16	31,000/-

Tender Schedule

Downloading of Tender documents from website - https://eproc.karnataka.gov.in/eportal/index.seam	From 26.02.2020 onwards
Last date for tender enquiry	06.03.2020 up to 11:00 AM
Tender submission last date and time	26.03.2020 up to 11:00 AM
Technical bid will be opened online by the authorized officer on	27.03.2020 at 11:00 AM

Sd/-,
Director

TENDER DOCUMENT

Terms and conditions

1. The bid documents should be uploaded in E Procurement portal only on or before the **due date**.
2. The tender bid should be valid for **four months** from the due date. **NIMHANS, Bengaluru will not take any responsibility for any technical issues.**
3. **Earnest Money Deposit (EMD):**
 - 3.1. The (EMD) shall be denominated in Indian Rupees and shall be paid in the e-procurement portal using the following payment modes:
 - a. Credit Card.
 - b. Direct Debit.
 - c. Net Banking
 - d. National Electronic Funds Transfer (NEFT)
 - 3.2. The EMD shall not bear any interest and will be refunded to
 - a. Successful tenderer on receipt of Agreement and Bank Guarantee.
 - b. Unsuccessful tenderer upon finalization of tender bid and award of tender to successful bidder.
 - c. All the tenderers if the tendered item is cancelled or retendered.



4. The tender documents and all correspondence's relating to the bid should be in **English language only**.
5. **Technical bid should comprise of (uploaded copy of documents should be self-attested and stamped) -**
 - 5.1 Brochure/Catalogue and Data sheet of the equipment.
 - 5.2 Proprietary certificate from the manufacturer mentioning the unique technology or feature/s mentioned apart from the brand name (If applicable).
 - 5.3 Pre requirements required at the installation site (Before submitting the bid, the tenderer should make pre-visit to the installation site and indicate the requirement along with the price bid wherever necessary)
 - 5.4 Delivery Period of the item to be supplied and Time required for installation from the date of purchase order has to be indicated.
 - 5.5 List of Institutes where the equipment has been supplied.
 - 5.6 Copy of GST, PAN, TIN document
 - 5.7 Whether tenderer is manufacturer / accredited agent / sole representative, indicate details of principal's name & address. The offers of tenderer who are not manufacturer or direct authorized agent will be summarily rejected. Sub- distributors will not be accepted.
 - 5.8 Non – blacklisting certification that the firm has not been blacklisted in the past by any government/Private institution and certification for No Vigilance/CBI case pending against the firm/supplier by making an affidavit on non – judicial stamp paper of `10/-.
 - 5.9 Declaration towards acceptance of all terms and conditions should also be provided.
 - 5.10 Technical Compliance Sheet to be uploaded by the supplier.
6. **Price Bid should comprise of-**
 - 6.1. **Quotation should be only for DAP i.e., NIMHANS DOOR DELIVERY PRICE** and should have detailed information as per tendered specifications (such as main equipment cost, each article wise/spares rates, taxes, other Government levies, Customs duty, any local agency commission, transportation, delivery of the equipment to the Institute premises, installation and commissioning and Civil Work at NIMHANS etc. Separately along with total cost) with manufacturers name, License number and name of the brand/make. Tender bids without price bid/quotation will be rejected. **Detailed breakup of the cost should be provided under” Action Column” by clicking the “%” symbol which will be mentioned as Added Statutory Components.**
7. Successful tenderer decision will be made on the basis of **Base price +Warranty period + Civil Work at NIMHANS.**
8. The tender bids (technical and price bid) should be typewritten; every correction in the tender should be initialed along with seal by the tenderer, failing which the tender will be rejected. All pages of the bid submitted must be signed along with seal and sequentially numbered by the tenderer.



9. Evaluation of Bids:-

The technical bid of the tenderer will be evaluated to determine whether

- a. They are complete with respect to specifications.
- b. They are free from computational errors.
- c. The requisite documents have been submitted and properly signed.

10. Tender Opening:

- a. The Technical bids will be unlocked through E procurement portal in the Committee Room, Adjacent to Registrar Chamber, NIMHANS, Bengaluru on the date specified in presence of tenderers or their representatives who choose to attend. The Tenderers' or representatives who are present shall submit authorization letter along with copy of Photo id proof and shall sign a register evidencing their attendance.
- b. The Financial bid of the technically qualified tenderer's only will be opened on a notified date. NIMHANS will inform all the Technically Qualified Tenderers through e-tendering system, after decryption of their Financial bid which could be viewed automatically by the respective technically qualified tenderer's. In this regard no separate intimation shall be made by the Purchaser.

11. Equipment and its accessories should be covered with **minimum warranty period of 05 years for normal or regular wear & tear from the date of complete installation (Ready to use in all respects). In case of software's, the validity of the license key should be clearly mentioned and should have user define provision with option to switch over from one system to other system of the same kind within the validity period.**

12. Software Updates:

The selected firm for the supply of tendered item should provide free updates of software up to 05 years from the date of complete installation.

13. Supply of spares should be guaranteed for a minimum period of 10 years from the date of supply or from the date of cessation of production of the model for 10 years, whichever is later, at the rates prevailing against payment.

14. Any modification or revision of bids after submission will not be entertained under any circumstances. Conditions such as "subject to the availability of stocks", supplies will be made as and when supplies received from the principles etc., will not be considered under any circumstances.

15. A tenderer having once given a tender bid shall not withdraw it after its acceptance/opening and if does, the EMD paid by the tenderer will be forfeited and the tenderer is liable to make good the loss sustained.

16. If required, the tenderer should demonstrate the quoted model of the equipment at the institute during the technical evaluation, failing which their bid/offer shall be rejected. The tenderer will be intimated that they should get ready for demonstration. No request for extending time for demonstration will be entertained. Failure to demonstrate, their offer will be rejected.

17. The tenderer should supply the Manuals pertaining to the Equipments at the time of Installation/Delivery of equipment at NIMHANS.



18. Necessary training / instructions on operation of the system should be given by the qualified engineers of the tenderer firm to NIMHANS technical staff/students free of cost after completion of the installation.
19. The successful tenderer should immediately submit an acceptance letter duly signed and sealed for the rate/s and offers agreed by both the parties to the Head of the Institution within reasonable time on receipt of the Purchase Order (Agreement Specimen will be enclosed with Purchase order & Stamp duty to be paid by the tenderer). **The successful tenderer should also furnish a Bank guarantee only from a Nationalized bank to the extent of 10% of the total purchase order value, valid for 60 days beyond the completion of the warranty period of the equipment, no split period bank guarantee will be entertained.**

In the event of the successful tenderer failed to supply the item/execute the agreement/submit the Bank Guarantee the EMD deposited by them shall stands forfeited.

20. Payment terms:

18.1 Payment will be made only after good working condition of the equipment certified by the end user. **NO ADVANCE PAYMENT WILL BE ENTERTAINED.**

21. Uptime Guarantee:

Penalty Clause for non-functioning of equipment in term of hardship to the patients and financial loss to institute: 95% up time of 365 days (24 hours a day) that is from the day of successful handing over of the whole complex. The company takes the responsibility for the functioning of all the components and equipment, including the third party items supplied and included in the project. The total downtime annually for any reason/involvement of any of the components cannot exceed 5% (all inclusive). No penalty will be levied for the first 24 hours after breakdown. Subsequently, 1.00 Lakh will be levied as penalty for every 24 hours of downtime until 7 days from the day of breakdown. If downtime exceeds 7 days the penalty will be 2.00 Lakh/day from the date on which the equipment broke down. In addition to this, warranty period will be extended at double the rate of the downtime period.

22. If, at any time, during the said period, the supplier reduce the said prices of such Materials/Equipment or sales such Materials/Equipment to any other person/organization/Institution at a price lower than the chargeable, the company shall forthwith notify such reduction or sale to the Director, NIMHANS and the price payable for the Materials supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced.

23. The losses to NIMHANS, Bengaluru, if any incurred on account of purchase made elsewhere by failure, neglect or refusal on the part of the tenderer to supply according to the terms of agreement will be recovered from them. If any article or things supplied by the tenderer have been partially or wholly used or consumed in the hospital and they are subsequently found to be in bad condition, unsound, inferior in quality or description, not in accordance with samples or otherwise faulty or unit for use, the wholesome of the contract price or price of such articles or things will be recovered from the tenderer. The tenderer will not be entitled for any payment whatsoever, for such articles for infringements of the stipulation of the conditions or for



justifiable reasons the contract may be terminated by the Director and the tenderer shall be liable for losses sustained by the NIMHANS on the consequences of the termination which may be recovered from the EMD/Bank Guarantee or from their invoices due to them. In the event of such amount being insufficient, the balance will be recovered personally from the tenderer.

24. Any corrections/changes in the tender will be uploaded as corrigendum in the NIMHANS and E procurement websites only.
25. If the tender last/opening date falls on any general/government/institute holiday(s), then the successive dates will be postponed by equivalent days of holiday(s), however the time remains unchanged.
26. The Director reserves the right of ordering/not ordering/cancelling/increase or decrease the quantity and to reject any or all tender quotations without assigning any reason. The decision of the Director, NIMHANS, Bengaluru, shall be final in all the controversies that may arise in the matter. Any dispute arising out of this will be subject to the jurisdiction of the Court in Bengaluru.
27. Failure to adhere any of the above terms and conditions the bid(s) may be rejected and EMD may be forfeited.
28. None of the terms and conditions of the supplier shall be applicable to the purchase contemplated hereunder, irrespective of it being attached to any documents to be provided to NIMHANS. Such exercise shall have no meaning and binding effect unless the same is accepted by NIMHANS in writing.

NOTE: Please keep checking the NIMHANS and E-Procurement websites regularly for any further updates.

**Sd/-
Director**



DECLARATION
(TO BE UPLOADED BY THE TENDERER)

Sl. No. of the Item :.....

Name of the company(tenderer) :.....

To

**The Director,
National Institute of Mental Health & Neuro Sciences
(Institute of National Importance)
Post Box No. 2900,
Hosur Road, Bengaluru – 560 029**

Dear Sir,

1. I/We hereby submit my/our tender bid for the
2. I/We have remitted the application fee and EMD of `through Credit Card/Direct Debit/Net Banking/National Electronic Funds Transfer (NEFT).
3. I/We have gone through all terms and conditions of the tender documents before submitting the same.
4. I/We hereby agree to all the terms and conditions, stipulated by the NIMHANS, in this connection including delivery, Installation, Warranty, Penalty etc. All relevant documents and Technical bid are uploaded as per the tender terms and conditions. Any violation in uploading the documents, my/our tender bid may be disqualified.
5. Financial bid is quoted as per tender terms and conditions clause no. 6, failing which it will be presumed that the rates are door delivery price.
6. Tender bids are duly signed (No thumb impression should be affixed).
7. I/We undertake to sign the contract/agreement, if required, within reasonable time from the date of issue of the letter of acceptance, failing which our/my security money deposited may be forfeited and our/my name may be removed from the list of suppliers at the NIMHANS, Bengaluru.

Yours faithfully,

Signature of Tenderer & seal



CHECK LIST
(TO BE UPLOADED BY THE TENDERER)

1	Name & Address of the tenderer		
2	Name & Address of the Manufacturer		
3	Name of the Equipment & Model Quoted		
4	Validity of the Quotation	4 months from the due date	
5	a. Installation Period b. Warranty Period	30 Days from the date of site handover 5 Years from the date of successful installation	
6	Technical Bid (Yes or No against each item)	a. Application Fee submitted	
		b. EMD enclosed submitted	
		c. Brochure/Catalogue & Data Sheet enclosed	
		d. Manufacturer Proprietary certificate enclosed	
		e. Pre requirements details enclosed	
		f. List of users enclosed	
		g. Copy of GST, PAN, TIN document	
		h. Distributor authorization letter	
		i. Non-blacklisting certification enclosed	
		j. Declaration enclosed	
7	Financial Bid Submitted (Yes or No against item a & b, currency symbol against item c)	a. NIMHANS DAP equipment cost quoted	
		b. 05 years warranty	
		c. Currency in which financial bid is quoted	
8	Training provided (Yes or No)		
9	a. Whether after sales, service is available in Bengaluru? If yes, quote		
	b. What is the arrangement for post contract / Warranty monitoring of the equipment?		
10	What is the Agency commission payable? If applicable		
11	Details of the EMD Submitted	Transaction No..... for `..... Bank name:	
12	Any Other Information (Enclose separately in letter head – Yes/No)		

Signature of Tenderer & seal



For Contact:

Dr T N Sathyaprabha,
Professor & HOD, Dept. of Neurophysiology
Ph - Office: +91-80-26995172/73/76
Email: drsathyaprabha@gmail.com, sathya@nimhans.ac.in

For Technical Clarification Contact: Mr. Veerendra.O

Mobile No: 9738861295

Office No: 080-26995660

1. Specifications of Tread Mill:

- Powerful 6 HP AC High Insulation Motor.
- Speed: 1'~25 Km/h.
- Power Incline 0~18%.
- Belt Area: 600 X 3560 X 3 Mm. Ortho Belt.
- 4 Speed & 4 Incline Hot Keys.
- Air Step Cushion Deck With Enlarge Footrail for Extra Safety.
- 12 Pre Set Program, 3 Users, 1 Manual & Body Fat Function.
- Exquisite Smooth Glossy Control Panel & Touch Keypad with 7 Led Window Display Speed, Time, distance, Calorie, Pulse and Incline.
- Easy Navigation Console Panel and Ergonomically Designed Ergo Handle Bar.
- Great Entertainment with Built In Usb Jack and Mp3 Speakers.

2. Specifications of Functional Trainer:

- Dual angled pulley system offers 22 easy to adjust positions per column offering a total body workout for a variety of users.
- Adjustable hand grips and multi position chinning bar for exercise choice.
- Ergonomics neoprene handle designed for maximum control and efficiency.
- 5/16" diameter weight selector pin magnetically locks in place and includes a lanyard to prevent loss.

Length:	1950 mm.
Width:	1040 mm.
Height:	2350 mm.



Machine Weight:	345 kg.
Weight Stack:	200 kg.

3. Specifications of Multi press chest and shoulder:

- Intelligent ergonomic design features comfortable, over sized grips with multiple positions, adjustable seat pad for desired start position.
- Converging axis design to replicate the body natural movement.
- Ergonomics neoprene handle designed for maximum control and efficiency.
- All adjustments are identified with yellow knobs for easy recognition.
- 5/16” diameter weight selector pin magnetically locks in place and includes a lanyard to prevent loss.
- Placards, placed in the most visible position, provide step-by- step instructions, as well as pictures to illustrate proper use and muscles trained.
- Hand grips secured in place with aluminium collars, comprised of an extruded rubber compound that is non absorbing and wear resistant.

Length:	1970 mm.
Width:	1330 mm.
Height:	1620 mm.
Machine Weight:	277 kg.
Max Load:	110 .

4. Specifications of Let extension and culr compo:

- Large sturdy foot plate with durable linear bearing mechanisms to regulate the load throughout the exercise and to ensure the correct muscles are targeted.
- Intelligent ergonomic design with adjustable back support pad.
- Ergonomics neoprene handle designed for maximum control and efficiency.
- Hand grips secured in place with aluminium collars, comprised of an extruded rubber compound that is non absorbing and wear resistant.

Length:	2170 mm.
---------	----------



Width:	1610 mm.
Height:	1520 mm.
Total Weight:	620.

5. Specifications of Lats pull down and seated rowing compo:

- Variable resistance cam design to regulate the load throughout the exercise to ensure the correct muscles is targeted.
- Overhead pulley system and multi-grip pull bar allows users to customize their exercise in single axis motion.
- Bio mechanically efficient user position and padded thigh rollers provides maximum comfort and safety.
- All adjustments are identified with yellow knobs for easy recognition.
- 5/16" diameter weight selector pin magnetically locks in place and includes a lanyard to prevent loss.

Length:	1955 mm.
Width:	1140mm.
Height:	2200 mm.
Machine Weight:	282 kg.
Weight Stack:	110.

6. Specifications of Hack squat Machine:

- Multiple and adjustable start positions allows user to align knee joint with pivot to ensure the correct muscles are targeted.
- Smooth running cam system gives a safe, efficient workout.
- Intelligent ergonomic design and adjustable ankle roller pad for varying leg length.
- All adjustments are identified with yellow knobs for easy recognition.
- 5/16" diameter weight selector pin magnetically locks in place and includes a lanyard to prevent loss.
- Placards, placed in the most visible position, provide step-by- step instructions, as well as pictures to illustrate proper use and muscles trained.



- Hand grips secured in place with aluminium collars comprised of an extruded rubber compound that is non absorbing and wear resistant.

Length:	1600 mm.
Width:	1120 mm.
Height:	1620 mm.
Machine Weight:	243 kg.
Max Load:	64 g.

7. Specifications of Peck Flys and Deltos compo:

- Intelligent ergonomic design features pivoting arms movement that automatically adjust according to user's arm length.
- Converging axis design to replicate the body natural movement.
- Multiple grip positions with neoprene handle for maximum control and efficiency.
- All adjustments are identified with yellow knobs for easy recognition.
- 5/16" diameter weight selector pin magnetically locks in place and includes a lanyard to prevent loss.
- Placards, placed in the most visible position, provide step-by- step instructions, as well as pictures to illustrate proper use and muscles trained.
- Hand grips secured in place with aluminium collars, comprised of an extruded rubber compound that is non absorbing and wear resistant.

Length:	1350 mm.
Width:	1250 mm.
Height:	2010 mm.
Machine Weight:	265 kg.
Max Load:	110.

8. Specifications of ABS board multi-purpose:



- Intelligent ergonomic design features oversized steps, comfortable knee pad, rotating dip handles and multiple positions pull up handle.
- Swing away counter balanced knee pad for added comforts.
- Multiple start positions to ensure correct posture and workout.
- All adjustments are identified with yellow knobs for easy recognition.
- 5/16” diameter weight selector pin magnetically locks in place and includes a lanyard to prevent loss.
- Hand grips secured in place with aluminium collars comprised of an extruded rubber compound that is non absorbing and wear resistant.

Length:	1400 mm.
Width:	1150 mm.
Height:	2340 mm.
Machine Weight:	256 kg.
Max Load:	80 g.

9. Specifications of Preacher Curl Stand:

Length:	1345 mm.
Width:	790 mm.
Height:	950 mm.
Total Weight:	56 kg.

10. Rubber Coated Dumbbells – 2 set

1. 1 kg
2. 2.5 kg
3. 5 kgs
4. 7.5 kgs
5. 10 kgs
6. 12.5 kgs
7. 15 kgs
8. 17.5 kgs
9. 20 kgs



10. 25 kgs

11. 30 kgs

12. 35 kgs

11. Barbell Olympic rods:

3 feet Straight rod with locks 48 mm

4 feet straight rod with locks 48 mm

5 feet straight rod with locks 48 mm

6 feet straight rod with locks 48 mm

7 feet straight rod with locks 48 mm

3ft Curl/Bend Rod: 3ft 14 Inches with locks 48 mm

12. Barbell stand – 2 nos

13. Floor Mat rubber 10 MM

14. Mirror 6 mm for Walls

15. Standard Doubles Rack – 2 no's

16. Triceps Bar

➤ **Mandatory to bid all the items.**

➤ **Minimum 05 years warranty for all above mentioned items from the date of successful installation.**