



**TENDER NOTIFICATION**  
(Through Karnataka e-procurement portal only)

The Director, NIMHANS invites tender from eligible tenderers through the Karnataka Government E-Procurement portal for supply of following equipment.

Sl. No.	Name of the Item	Quantity (in No.)	EMD (in)
1.	Autoclave Machine 870 Litres (Steam Sterilizer 12 STU capacity for CSSD)	01	1,40,000/-

**Tender Schedule**

Downloading of Tender documents from website - <a href="https://eproc.karnataka.gov.in/eportal/index.seam">https://eproc.karnataka.gov.in/eportal/index.seam</a>	From 16.07.2020 Onwards
Last date for tender enquiry	17.08.2020 upto 11:00 AM
Tender submission last date and time	18.08.2020 upto 11:00 AM
Technical bid will be opened online by the authorized officer on	19.08.2020 at 11:00 AM

Sd/-  
Director

**TENDER DOCUMENT**  
**Terms and conditions**

1. The bid documents for the above items should be addressed to “The Director, National Institute of Mental Health & Neuro Sciences, Post Box No. 2900, Hosur Road, Bengaluru – 560 029, Karnataka, India” and should uploaded in E Procurement portal only on or before the due date.
2. The tender bid should be valid for **120 days** from the due date. **NIMHANS, Bengaluru will not take any responsibility for any technical issues.**
3. **Earnest Money Deposit (EMD):**
  - a. The (EMD) shall be denominated in Indian Rupees and should be paid in the e-procurement portal as per the facility provided.
  - b. The EMD shall not bear any interest and will be refunded to
    - a. successful tenderer on receipt of Agreement and Bank Guarantee.
    - b. unsuccessful tenderer upon finalization of tender bid and award of tender to successful bidder.
    - c. All the tenderers if the tendered item is cancelled or retendered.
4. The tender documents and all correspondence’s relating to the bid should be in **English language only.**



**E-Procurement Tender No. NIMHANS/2020-21/IND627**

**16.07.2020**

5. **Technical bid should comprise of (uploaded copy of documents should be self attested, stamped and better quality – preferably .pdf format) -**
- Brochure/Catalogue and Data sheet of the equipment.
  - Technical Compliance Statement
  - Proprietary certificate from the manufacturer mentioning the unique technology or feature/s mentioned apart from the brand name (If applicable).
  - Pre requirements required at the installation site (Before submitting the bid, the tenderer should make pre-visit to the installation site and indicate the requirement along with the price bid wherever necessary)
  - Delivery Period of the item to be supplied and Time required for installation from the date of purchase order has to be indicated.
  - List of Institutes where the equipment has been supplied with copy of purchase orders.
  - Copy of GST, PAN, TIN document
  - Whether tenderer is manufacturer / accredited agent / sole representative, indicate details of principal's name & address. The offers of tenderer who are not manufacturer or direct authorized agent will be summarily rejected. Sub- distributors will not be accepted.
  - Non – blacklisting certification that the firm has not been blacklisted in the past by any government/Private institution and certification for No Vigilance/CBI case pending against the firm/supplier by making an affidavit on non – judicial stamp paper of `100/-.
  - Declaration towards acceptance of all terms and conditions should also be provided.
6. **Financial Bid should comprise of-**
- Quotation should be only for DAP i.e. NIMHANS Door Delivery Price (DAP) inclusive of main equipment cost, each article wise/spares rates, taxes, other Government levies, Customs duty, any local agency commission, transportation, delivery of the equipment to the Institute premises, installation and commissioning etc. with a detailed break up mentioning manufacturers name, License number and name of the brand/make. Tender bids without price bid/quotation will be rejected.**  
**Detailed breakup of the cost should be provided under icon “Action column” by clicking the % symbol which will be mentioned as Added statutory components.**
  - The tenderer should also provide the quote for regular servicing/maintenance duly mentioning the number of visits per annum for the AMC & CMC period after the warranty period is over. **AMC & CMC should be quoted in INR only under Action column in E procurement portal.**
    - If the tenderer is quoting in Indian Rupees (INR) for items NOT MANUFACTURING IN INDIA (NMIC), the CUSTOM DUTY EXEMPTION CERTIFICATE WILL NOT BE ISSUED BY THE INSTITUTE. The Rate quoted should be inclusive of Custom duty & other incidental charges.
7. **Successful tenderer decision will be made on the basis of total cost of the equipment (Inclusive of all miscellaneous charges as mentioned in Clause 6a).**



**E-Procurement Tender No. NIMHANS/2020-21/IND627**

**16.07.2020**

8. **The cost of the “Autoclave Machine 870 Litres with related accessories” will be freezed for 1 Year from the date of purchase order; however Institute reserves the right to procure/reject the purchase of equipment with the successful tenderer on repeat order basis within 1 year from the date of purchase order.**
9. The tender bids (technical and price bid) should be typewritten; every correction in the tender should be initialed along with seal by the tenderer, failing which the tender will be rejected. All pages of the bid submitted must be signed along with seal and sequentially numbered by the tenderer.
10. **Evaluation of Bids:-**  
The technical bid of the tenderer will be evaluated to determine whether
  - a. They are complete with respect to specifications.
  - b. They are free from computational errors.
  - c. The requisite documents have been submitted and properly signed.
11. **Tender Opening:**
  - a. The Technical bids will be unlocked through E procurement portal in the Committee Room, Adjacent to Registrar Chamber, NIMHANS, Bengaluru on the date specified in presence of tenderers or their representatives who choose to attend.  
The Tenderers' or representatives who are present shall submit authorization letter along with copy of Photo id proof and shall sign a register evidencing their attendance.
  - b. The Financial bid of the technically qualified tenderer/s only will be opened on a notified date.
12. Equipment and its accessories should be covered with **minimum warranty period of 5 years** for normal or regular wear & tear from the date of complete installation (Ready to use in all respects). In case of software's, the validity of the license key should be clearly mentioned and should have user define provision with option to switch over from one system to other system of the same kind within the validity period.
13. **Software Updates:**  
The selected firm for the supply of tendered item should provide free updates of software up to 5 years from the date of complete installation.
14. Supply of spares should be guaranteed for a minimum period of 10 years from the date of supply or from the date of cessation of production of the model for 10 years, whichever is later, at the rates prevailing against payment.
15. Any modification or revision of bids after submission will not be entertained under any circumstances. Conditions such as “subject to the availability of stocks”, supplies will be made as and when supplies received from the principles etc., will not be considered under any circumstances.
16. A tenderer having once given a tender bid shall not withdraw it after its acceptance/opening and if does, the EMD paid by the tenderer will be forfeited and the tenderer is liable to make good the loss sustained.



**E-Procurement Tender No. NIMHANS/2020-21/IND627**

**16.07.2020**

17. If required, the tenderer should demonstrate the quoted model of the equipment at the institute during the technical evaluation, failing which their bid/offer shall be rejected. The tenderer will be intimated that they should get ready for demonstration. No request for extending time for demonstration will be entertained. Failure to demonstrate, their offer will be rejected.
18. The tenderer should supply the circuit diagram and instruction manual of the tendered equipment/s at the time of supply of the equipment.
19. Necessary training / instructions on operation of the system should be given by the qualified engineers of the tenderer firm to NIMHANS technical staff/s at free of cost after completion of the installation.
20. The successful tenderer should immediately submit an acceptance letter duly signed and sealed for the rate/s and offers agreed by both the parties to the Head of the Institution within reasonable time on receipt of the Purchase Order (Agreement Specimen will be enclosed with Purchase order & Stamp duty to be paid by the tenderer). The successful tenderer should also furnish a Bank guarantee only from a Nationalized bank to the extent of 10% of the total purchase order value, valid for 60 days beyond the completion of the warranty period of the equipment, no split period bank guarantee will be entertained.

In the event of the successful tenderer failed to supply the item/execute the agreement/submit the Bank Guarantee the EMD deposited by them shall stands forfeited.

**21. Payment terms:**

Payment will be made only after good working condition of the equipment certified by the end user. **NO ADVANCE PAYMENT WILL BE ENTERTAINED.**

**22. Uptime Guarantee:**

Penalty Clause for non-functioning of equipment in term of hardship to the patients and financial loss to institute: 95% up time of 365 days (24 hours a day) that is from the day of successful handing over of the whole complex. The company takes the responsibility for the functioning of all the components and equipment, including the third party items supplied and included in the project. The total downtime annually for any reason/involvement of any of the components cannot exceed 5% (all inclusive). Subsequently if downtime exceeds 5% of 365 days, 1% of PO Value will be levied as penalty for every 24 hours of downtime until 7 days from the day of breakdown. If downtime exceeds 7 days the penalty will be 2% of PO Value from the date on which the equipment broke down beyond 5% permissible downtime. In addition to this, warranty period will be extended at double the rate of the downtime period.

23. If, at any time, during the said period, the supplier reduce the said prices of such Materials/Equipment or sales such Materials/Equipment to any other person/organization/ Institution at a price lower than the chargeable, the company shall forthwith notify such reduction or sale to the Director, NIMHANS and the price payable for the Materials supplied after the date of coming into force of such reduction or sale shall stand correspondingly reduced.

24. The losses to NIMHANS, Bengaluru, if any incurred on account of purchase made elsewhere by failure, neglect or refusal on the part of the tenderer to supply according to the terms of



**E-Procurement Tender No. NIMHANS/2020-21/IND627**

**16.07.2020**

agreement will be recovered from them. If any article or things supplied by the tenderer have been partially or wholly used or consumed in the hospital and they are subsequently found to be in bad condition, unsound, inferior in quality or description, not in accordance with samples or otherwise faulty or unit for use, the wholesome of the contract price or price of such articles or things will be recovered from the tenderer. The tenderer will not be entitled for any payment whatsoever, for such articles for infringements of the stipulation of the conditions or for justifiable reasons the contract may be terminated by the Director and the tenderer shall be liable for losses sustained by the NIMHANS on the consequences of the termination which may be recovered from the EMD/Bank Guarantee or from their invoices due to them. In the event of such amount being insufficient, the balance will be recovered personally from the tenderer.

25. Any corrections/changes in the tender will be uploaded as corrigendum in the NIMHANS and E procurement websites only.
26. If the tender last/opening date falls on any general/government/institute holiday(s), then the successive dates will be postponed by equivalent days of holiday(s), however the time remains unchanged.
27. The Director reserves the right of ordering/not ordering/cancelling/increase or decrease the quantity and to reject any or all tender quotations without assigning any reason. The decision of the Director, NIMHANS, Bengaluru, shall be final in all the controversies that may arise in the matter. Any dispute arising out of this will be subject to the jurisdiction of the Court in Bengaluru.
28. Failure to adhere any of the above terms and conditions the bid(s) may be rejected and EMD may be forfeited.
29. None of the terms and conditions of the supplier shall be applicable to the purchase contemplated hereunder, irrespective of it being attached to any documents to be provided to NIMHANS. Such exercise shall have no meaning and binding effect unless the same is accepted by NIMHANS in writing.

**NOTE: Please keep checking the NIMHANS and E-Procurement websites regularly for any further updates.**

Sd/-  
Director



E-Procurement Tender No. NIMHANS/2020-21/IND627

16.07.2020

**DECLARATION**  
**(TO BE GIVEN BY THE TENDERER)**

Name of the Equipment: Autoclave Machine 870 Litres - 01 No.

Name of the company : .....

To

The Director,  
National Institute of Mental Health &  
Neurosciences (Institute of National  
Importance)  
Post Box No. 2900,  
Hosur Road, Bengaluru – 560 029

Dear Sir,

1. I/We hereby submit my/our tender for the .....
2. I/We have made requisite payment against EMD as per the tender document vide reference No. & date ....., else my tender bid may be rejected.
3. I/We have gone through all terms and conditions of the tender documents before submitting the same.
4. I/We hereby agree to all the terms and conditions, stipulated by the NIMHANS, in this connection including delivery, warranty, penalty etc. Quotations for each group are being submitted and shall be considered on their face value.
5. I/We undertake to sign the contract/agreement, if required, within reasonable time from the date of issue of the letter of acceptance, failing which our/my security money deposited may be forfeited and our/my name may be removed from the list of suppliers at the NIMHANS, Bengaluru.

**NOTE: ALL TERMS & CONDITIONS SUCH AS TAXES/LEVIES ETC, HAS BEEN INDICATED IN THE QUOTATIONS FAILING WHICH IT WILL BE PRESUMED THAT THE RATES ARE INCLUSIVE OF ALL TAXES/LEVIES AND OTHER TERMS AND CONDITIONS ARE ALSO AS PER YOUR REQUIREMENTS.**

Yours faithfully,

Signature of Tenderer & seal



E-Procurement Tender No. NIMHANS/2020-21/IND627

16.07.2020

**CHECK LIST  
(TO BE FILLED BY THE TENDERER)**

1.	Name & Address of the Tenderer		
2.	Name & address of the manufacturer		
3.	Name of the equipment & Model Quoted		
4.	Validity of the quotation	<b>120 days from the tender submission last date</b>	
5.	a. Delivery Period		
	b. Warranty Period	<b>5 years</b>	
	c. Installation Period		
6.	Tender Bid uploaded details (YES or NO against each item)	a. Application Fee submitted	
		b. EMD submitted	
		c. Brochure/Catalogue uploaded	
		d. Technical Compliance Statement	
		e. Manufacturer Proprietary certificate uploaded	
		f. Pre requirements details uploaded	
		g. List of users uploaded	
		h. Copy of GST/PAN/TIN & Bank details uploaded	
		i. Distributor authorization letter uploaded	
		j. Non-blacklisting certification uploaded	
		k. Declaration enclosed	
		l. Equipment Door delivery cost quoted	
		m. AMC & CMC cost for 5 years post warranty period	
7.	Training will be provided (YES or NO)		
8.	a. Whether after sales, service is available in Bengaluru? If yes, quote the details		
	b. What is the arrangement for post contract / warranty monitoring of the equipment		
9.	Any other information (Enclosed separately in letter head – YES or NO).		

**Signature of Tenderer along with seal**



NATIONAL INSTITUTE OF MENTAL HEALTH AND NEURO SCIENCES  
(Institute of National Importance), Bengaluru- 560 029

Phone 26995023/5913/5780

Fax 080-26571563/26564830/2121/6811

Website <http://www.nimhans.ac.in/tender>

E-mail [aaos@nimhans.ac.in](mailto:aaos@nimhans.ac.in)



सत्यमेव जयते

Department / Section	CSSD	Quantity Required: 01 No.  <b>EMD: 1,40,000/-</b>
<i>End User Contact Details</i>		
Name	Mr. Prakash B.S	
Designation	CSSD I/c	
Office No.	+91 - 80 - 2699 5710	
Email	bsprakash1964@gmail.com;	

Sl. No.	Specifications of Autoclave Machine 870 Litres (STEAM STERILIZER 12 STU CAPACITY)
1	<ul style="list-style-type: none"><li>Fully automatic vertical sliding door with built in steam generator and highly efficient vacuum pump.</li><li>The unit should be able to process all types of loads as specified in the EN 285 standard: wrapped, non-wrapped, solid, hollow load and porous products.</li><li>Chamber volume : 870 Litres - 12 STU</li><li>The Sterilizer should comply with following standards codes and directives: Steam Sterilizers Large Sterilizers EN 285</li><li>Chamber should be of design made of stainless steel 1.4404 (AISI 316L) 5mm thickness and steam is circulated through the steam heated jacket (U-form profile, 5 mm thickness, AISI 316L. The sterilizing chamber should be fully insulated with 80 mm low-chloride mineral wool</li><li>Sterilizer chamber should have guide rails made from stainless steel are installed inside the chamber for batch cart loading.</li><li>The door gasket should full-silicon seal and should be pressed on with compressed air. The life of gasket should be of service of minimum a year or 3500 cycle whichever comes first.</li><li>Machine should be fully serviceable from front with no side access necessary.</li><li>Sterilizer should include built in steam generator the steam generator consists of a pressure vessel with electric heating elements, a feed water tank, booster pump, pressure safety valve and control with switch cabinet incl. graphic user interface.</li><li>Vacuum system – The machines are equipped with gas jet-supported a single-level or twolevel water ring vacuum incl. water saving system with circulation tank in order to minimise cooling water consumption up to 80% than conventional systems. The water temperature is controlled process-dependently via a PT 1000 sensor. Cooling loop option with chilled water should be offered as optional.</li><li>Safety Devices - Two separate safety systems, a software and a hardware monitoring system, should be there to ensure that the chamber doors can only be unlocked and opened when the pressure in the chamber has fallen to atmospheric pressure +/-100 mbar (pressure adjusted to surrounding pressure).</li><li>The measuring systems should include a double Pt 1000 resistance thermometer with two independent temperature sensors and the the chamber pressure is measured by 2 independent pressure transducers for separate recording of the control measurement value and the recording measurement value.</li><li>Machine should incorporate with latest technologies like built in integrated Bowie-Dick Test that is used to test steam penetration and replaces the conventional chemical Bowie-Dick test pack. With the aid of the Integrated Bowie-Dick Test, routine performance testing of the air extraction system by the Bowie &amp; Dick test procedure conforming to EN ISO 11140-4 is performed on an automated basis.</li><li>Control technology - The control of all stages of the sterilizing cycle are fully automatic PLC controlled. The control panel should have high functionality and convenience of use. The operating panel should be Colour TFT screen, VGA with minimum 5. 5 Inch or more</li><li>A built in Thermal printer should be part of standard part of Sterilizer.</li><li>Data collection – Sterilization cycles' data can be collected online trough standard Ethernet connection, enables connecting the computer and the Sterilizer using the PC Software (to be offered as optional).</li><li>Validation port- One validation port is located on top of the chamber for the purpose of inserting thermocouples into the chamber. Sterilizer should be supplied along with loading/ unloading trolley for both side.</li><li>Batch cart</li><li>Warranty-5 Years</li></ul>